




A002

002 Jobber Drill Split Point



Bright below 2.0mm, TiN Tipped and Split Point 2.0mm and above



d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	GBP
	1.00	0.0394	12	34	A0021.0	2.74
	1.10	0.0433	14	36	A0021.1	2.87
3/64	1.19	0.0469	16	38	A0023/64	2.87
	1.20	0.0472	16	38	A0021.2	2.87
	1.30	0.0512	16	38	A0021.3	2.74
	1.40	0.0551	18	40	A0021.4	2.63
	1.50	0.0591	18	40	A0021.5	2.40
1/16	1.59	0.0625	20	43	A0021/16	2.30
	1.60	0.0630	20	43	A0021.6	2.30
	1.70	0.0669	20	43	A0021.7	2.49
	1.80	0.0709	22	46	A0021.8	2.44
	1.90	0.0748	22	46	A0021.9	2.40
5/64	1.98	0.0781	24	49	A0025/64	2.49
	2.00	0.0787	24	49	A0022.0	1.95
	2.10	0.0827	24	49	A0022.1	2.30
	2.20	0.0866	27	53	A0022.2	2.36
	2.30	0.0906	27	53	A0022.3	2.36
3/32	2.38	0.0938	30	57	A0023/32	2.21
	2.40	0.0945	30	57	A0022.4	2.36
	2.50	0.0984	30	57	A0022.5	2.21
	2.60	0.1024	30	57	A0022.6	2.44
	2.70	0.1063	33	61	A0022.7	2.49
7/64	2.78	0.1094	33	61	A0027/64	2.44
	2.80	0.1102	33	61	A0022.8	2.44
	2.90	0.1142	33	61	A0022.9	2.36

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	GBP
	3.00	0.1181	33	61	A0023.0	2.21
	3.10	0.1220	36	65	A0023.1	2.57
1/8	3.18	0.1250	36	65	A0021/8	2.21
	3.20	0.1260	36	65	A0023.2	2.54
	3.25	0.1280	36	65	A0023.25	3.16
	3.30	0.1299	36	65	A0023.3	2.30
	3.40	0.1339	39	70	A0023.4	2.63
	3.50	0.1378	39	70	A0023.5	2.70
9/64	3.57	0.1406	39	70	A0029/64	2.81
	3.60	0.1417	39	70	A0023.6	2.81
	3.70	0.1457	39	70	A0023.7	2.70
	3.80	0.1496	43	75	A0023.8	3.16
	3.90	0.1535	43	75	A0023.9	3.16
5/32	3.97	0.1563	43	75	A0025/32	2.87
	4.00	0.1575	43	75	A0024.0	2.87
	4.10	0.1614	43	75	A0024.1	3.16
	4.20	0.1654	43	75	A0024.2	2.99
	4.30	0.1693	47	80	A0024.3	3.56
11/64	4.37	0.1719	47	80	A00211/64	3.41
	4.40	0.1732	47	80	A0024.4	3.41
	4.50	0.1772	47	80	A0024.5	3.41
	4.60	0.1811	47	80	A0024.6	3.56
	4.70	0.1850	47	80	A0024.7	3.53
3/16	4.76	0.1875	52	86	A0023/16	3.16
	4.80	0.1890	52	86	A0024.8	3.70
	4.90	0.1929	52	86	A0024.9	3.61
	5.00	0.1969	52	86	A0025.0	3.56
	5.10	0.2008	52	86	A0025.1	4.04
13/64	5.16	0.2031	52	86	A00213/64	4.07
	5.20	0.2047	52	86	A0025.2	4.18
	5.30	0.2087	52	86	A0025.3	4.21
	5.40	0.2126	57	93	A0025.4	4.50
	5.50	0.2165	57	93	A0025.5	4.72
7/32	5.56	0.2188	57	93	A0027/32	3.88
	5.60	0.2205	57	93	A0025.6	4.99
	5.70	0.2244	57	93	A0025.7	5.14
	5.80	0.2283	57	93	A0025.8	5.13
	5.90	0.2323	57	93	A0025.9	5.11
15/64	5.95	0.2344	57	93	A00215/64	5.37
	6.00	0.2362	57	93	A0026.0	4.60
	6.10	0.2402	63	101	A0026.1	5.37
	6.20	0.2441	63	101	A0026.2	5.37
	6.30	0.2480	63	101	A0026.3	5.41
1/4	6.35	0.2500	63	101	A0021/4	5.07
	6.40	0.2520	63	101	A0026.4	5.51
	6.50	0.2559	63	101	A0026.5	5.75

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	GBP
	6.60	0.2598	63	101	A0026.6	6.04
	6.70	0.2638	63	101	A0026.7	6.22
17/64	6.75	0.2656	69	109	A00217/64	6.22
	6.80	0.2677	69	109	A0026.8	6.22
	6.90	0.2717	69	109	A0026.9	6.91
	7.00	0.2756	69	109	A0027.0	6.59
	7.10	0.2795	69	109	A0027.1	7.14
9/32	7.14	0.2813	69	109	A0029/32	6.91
	7.20	0.2835	69	109	A0027.2	6.84
	7.30	0.2874	69	109	A0027.3	6.99
	7.40	0.2913	69	109	A0027.4	7.65
	7.50	0.2953	69	109	A0027.5	6.99
19/64	7.54	0.2969	75	117	A00219/64	7.89
	7.60	0.2992	75	117	A0027.6	7.97
	7.70	0.3031	75	117	A0027.7	7.89
	7.80	0.3071	75	117	A0027.8	8.25
	7.90	0.3110	75	117	A0027.9	8.41
5/16	7.94	0.3125	75	117	A0025/16	7.61
	8.00	0.3150	75	117	A0028.0	7.72
	8.10	0.3189	75	117	A0028.1	8.85
	8.20	0.3228	75	117	A0028.2	8.46
	8.30	0.3268	75	117	A0028.3	8.65
21/64	8.33	0.3281	75	117	A00221/64	10.35
	8.40	0.3307	75	117	A0028.4	9.08
	8.50	0.3346	75	117	A0028.5	8.79
	8.60	0.3386	81	125	A0028.6	10.45
	8.70	0.3425	81	125	A0028.7	10.70
11/32	8.73	0.3438	81	125	A00211/32	8.51
	8.80	0.3465	81	125	A0028.8	10.35
	8.90	0.3504	81	125	A0028.9	11.05
	9.00	0.3543	81	125	A0029.0	10.20
	9.10	0.3583	81	125	A0029.1	11.05
23/64	9.13	0.3594	81	125	A00223/64	11.30
	9.20	0.3622	81	125	A0029.2	11.75
	9.30	0.3661	81	125	A0029.3	11.30
	9.40	0.3701	81	125	A0029.4	11.85
	9.50	0.3740	81	125	A0029.5	11.10
3/8	9.52	0.3750	87	133	A0023/8	11.10
	9.60	0.3780	87	133	A0029.6	12.15
	9.70	0.3819	87	133	A0029.7	12.65
	9.80	0.3858	87	133	A0029.8	12.80
	9.90	0.3898	87	133	A0029.9	13.10
25/64	9.92	0.3906	87	133	A00225/64	13.85
	10.00	0.3937	87	133	A00210.0	12.10
	10.10	0.3976	87	133	A00210.1	15.95
	10.20	0.4016	87	133	A00210.2	15.45

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	GBP
	10.30	0.4055	87	133	A00210.3	16.10
13/32	10.32	0.4063	87	133	A00213/32	13.15
	10.40	0.4094	87	133	A00210.4	17.25
	10.50	0.4134	87	133	A00210.5	15.65
	10.60	0.4173	87	133	A00210.6	17.90
	10.70	0.4213	94	142	A00210.7	20.45
27/64	10.72	0.4219	94	142	A00227/64	15.95
	10.80	0.4252	94	142	A00210.8	19.20
	10.90	0.4291	94	142	A00210.9	18.25
	11.00	0.4331	94	142	A00211.0	18.00
	11.10	0.4370	94	142	A00211.1	21.00
7/16	11.11	0.4375	94	142	A0027/16	14.10
	11.20	0.4409	94	142	A00211.2	21.65
	11.30	0.4449	94	142	A00211.3	22.35
	11.40	0.4488	94	142	A00211.4	21.85
	11.50	0.4528	94	142	A00211.5	19.20
29/64	11.51	0.4531	94	142	A00229/64	18.30
	11.60	0.4567	94	142	A00211.6	24.00
	11.70	0.4606	94	142	A00211.7	23.60
	11.80	0.4646	94	142	A00211.8	24.20
	11.90	0.4685	101	151	A00211.9	26.65
15/32	11.91	0.4688	101	151	A00215/32	20.15
	12.00	0.4724	101	151	A00212.0	20.90
	12.10	0.4764	101	151	A00212.1	29.35
	12.20	0.4803	101	151	A00212.2	29.20
	12.30	0.4843	101	151	A00212.3	27.95
31/64	12.30	0.4844	101	151	A00231/64	24.00
	12.40	0.4882	101	151	A00212.4	29.50
	12.50	0.4921	101	151	A00212.5	22.80
	12.60	0.4961	101	151	A00212.6	32.35
	12.70	0.5000	101	151	A00212.7	23.55
1/2	12.70	0.5000	101	151	A0021/2	23.55
	12.80	0.5039	101	151	A00212.8	32.40
	12.90	0.5079	101	151	A00212.9	33.25
	13.00	0.5118	101	151	A00213.0	24.80
33/64	13.10	0.5156	101	151	A00233/64	29.50
	13.10	0.5157	101	151	A00213.1	33.85
	13.20	0.5197	101	151	A00213.2	36.65
	13.25	0.5217	108	160	A00213.25	42.75
	13.30	0.5236	108	160	A00213.3	43.50
	13.40	0.5276	108	160	A00213.4	43.20
17/32	13.49	0.5313	108	160	A00217/32	33.25
	13.50	0.5315	108	160	A00213.5	34.65
	13.60	0.5354	108	160	A00213.6	46.15
	13.70	0.5394	108	160	A00213.7	44.10
	13.75	0.5413	108	160	A00213.75	41.70

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	GBP
	13.80	0.5433	108	160	A00213.8	43.15
35/64	13.89	0.5469	108	160	A00235/64	36.55
	13.90	0.5472	108	160	A00213.9	48.00
	14.00	0.5512	108	160	A00214.0	35.05
	14.25	0.5610	114	169	A00214.25	48.00
9/16	14.29	0.5625	114	169	A0029/16	36.15
	14.50	0.5709	114	169	A00214.5	41.75
37/64	14.68	0.5781	114	169	A00237/64	51.60
	14.75	0.5807	114	169	A00214.75	49.70
	15.00	0.5906	114	169	A00215.0	43.10
19/32	15.08	0.5938	120	178	A00219/32	45.15
	15.25	0.6004	120	178	A00215.25	63.20
39/64	15.48	0.6094	120	178	A00239/64	65.80
	15.50	0.6102	120	178	A00215.5	49.35
	15.75	0.6201	120	178	A00215.75	65.70
5/8	15.88	0.6250	120	178	A0025/8	49.35
	16.00	0.6299	120	178	A00216.0	50.80